

2024 | GRUPO FEBLAN Internacional



GRUPO FEBLAN

**AÇÚCAR
AZÚCAR
SUGAR**

 www.grupofeban.com



CONTATO

+55 47 9760 7775
contato@grupofeban.com

ICUMSA

Açúcar / Azúcar / Sugar



IC-45
IC-150
VHP-600-1200
ORGÂNICO

O Grupo Feblan, tem como princípio norteador, proporcionar aos seus clientes todo o suporte necessário para a aquisição de produtos de qualidade dentro das boas práticas comerciais.

ICUMSA-45

Açúcar / Azúcar / Sugar

SPECIFICATIONS	
ORIGIN	Brasil
ICUMSA	45 RBU
COLOR	Sparkling white maximum 45 ICUMSA attenuation units
POLARIZATION	99,80% Minimum at 20 deg. centigrade
SOLUBILITY	100% Dry/Free fine flowing
MOISTURE	0,04% Maximum on dry weight basis
ASH CONTENT	0,04% Maximum by electrical conduct
GRANULATION	Fine standard - 0,55-0,70 am/mm
SUBSTANCE	Solid crystal
MAGNETIC PARTICLE	4 Max mg/kg
RADIATION	Normal w/o presence of cesium oriodine
REDUCING SUGAR	0,05 Maximum by weght
SEDIMENTS	None
SMELL	Free of any smell
HPN STAPH AUREUS	Nil
SO2	20 mg/kg Maximum
MAX AS	1 P.P.M.
MAX PB	2 P.P.M.
MAX CU	3 P.P.M.
CROP	Current

Porções de 10g (2 colher de chá)		
Manganês	0,2mg	9%
Magnésio	8,0mg	3%
Cálcio	12,7mg	1%
Carboidratos	9,5g	3%
Lípidios	0,0g	-
Proteínas	0,1g	0%
Valor energético	36,9kcal	2%
Fósforo	3,8mg	1%
Ferro	0,8mg	6%
Sódio	2,5mg	0%
Potássio	52,2mg	-
Cobre	0,0ug	0%
Zinco	0,1mg	1%
Riboflavina	0,0mg	0%



ICUMSA-150

Açúcar / Azúcar / Sugar

SPECIFICATIONS	
ORIGIN	Brasil
ICUMSA	150 RBU
COLOR	Sparkling white maximum 150 ICUMSA attenuation units
POLARIZATION	99,70% Minimum at 20 deg. centigrade
SOLUBILITY	100% Dry/Free fine flowing
MOISTURE	0,08% Maximum on dry weight basis
ASH CONTENT	0,08% Maximum by electrical conduct
GRANULATION	Fine standard - 0,55-0,70 am/mm
SUBSTANCE	Soud crystal
MAGNETIC PARTICLE	4 Max mg/kg
RADIATION	Normal w/o presence of cesium oriodine
REDUCING SUGAR	0,05 Maximum by weght
SEDIMENTS	None
SMELL	Free of any smell
HPN STAPH AUREUS	Nil
SO2	15 mg/kg Maximum
MAX AS	5 P.P.M.
MAX PB	2 P.P.M.
MAX CU	3 P.P.M.
CROP	Current

Porções de 10g (2 colher de chá)		
Manganês	0,2mg	9%
Magnésio	8,0mg	3%
Cálcio	12,7mg	1%
Carboidratos	9,5g	3%
Lipídios	0,0g	-
Proteínas	0,1g	0%
Valor energético	36,9kcal	2%
Fósforo	3,8mg	1%
Ferro	0,8mg	6%
Sódio	2,5mg	0%
Potássio	52,2mg	-
Cobre	0,0ug	0%
Zinco	0,1mg	1%
Riboflavina	0,0mg	0%



ICUMSA VHP - 600-1200

Açúcar / Azúcar / Sugar

SPECIFICATIONS	
ORIGIN	Brasil
ICUMSA	600-1200 RBU
COLOR	Brown
POLARIZATION	99% - 99,3%
SOLUBILITY	99% Free
MOISTURE	0,15% Max
ASH CONTENT	0,15% Max
GRANULATION	0,6 mm Regular square (Medium size)
SUBSTANCE	ICUMSA 600-1200 (ICUMSA method no 4-1978)
MAGNETIC PARTICLE	Mg/k min - 10 Flow
RADIATION	Normal certified: within acceptable International limits
REDUCING SUGAR	0,05 Maximum by weght
SEDIMENTS	None
SMELL	Free from any odour
HPN STAPH AUREUS	Nil
SO2	Mg/k - 120
MAX AS	1 P.P.M.
MAX PB	2 P.P.M.
MAX CU	3 P.P.M.
COLHEITA	Current

Porções de 10g (2 colher de chá)		
Manganês	0,2mg	9%
Magnésio	8,0mg	3%
Cálcio	12,7mg	1%
Carboidratos	9,5g	3%
Lípidios	0,0g	-
Proteínas	0,1g	0%
Valor energético	36,9kcal	2%
Fósforo	3,8mg	1%
Ferro	0,8mg	6%
Sódio	2,5mg	0%
Potássio	52,2mg	-
Cobre	0,0ug	0%
Zinco	0,1mg	1%
Riboflavina	0,0mg	0%



ORGÂNICO

Açúcar / Azúcar / Sugar

- ✓ Açúcar orgânico Açúcar de granulação uniforme, produzido sem qualquer aditivo químico tanto na fase agrícola como na industrial, disponível nas versões clara e dourada (visualmente similar ao demerara). Segue padrões internacionais e certificação por órgãos competentes.
- ✓ *Azúcar orgánico Azúcar uniformemente granulado, producido sin aditivos químicos tanto en la fase agrícola como industrial, disponible en versiones clara y dorada (visualmente similar a la demerara). Sigue las normas internacionales y la certificación de organismos competentes.*
- ✓ *Organic sugar Sugar of uniform granulation, produced without any chemical additive in both the agricultural and industrial phases, available in clear and golden versions (visually similar to demerara). It follows international standards and certification by competent bodies.*



CONTATO

+55 47 9760 7775

contato@grupofebian.com

 www.grupofebian.com